

## DECLARATION OF CONFORMITY



Manufacturer: **Sta.Ge HELLAS S.A.**  
Product: **Lift Controller for Hydraulic Elevators**  
Type: **EL.CO Smart**

The present document certifies the product above conforms to the 95/16/EC (for Lifts).  
Device is tested at the laboratories of EMC HELLAS No 0471 / 12.02.2007

The Sta.Ge HELLAS S.A. company declares, under its only responsibility, that the product  
**EL.CO Smart HYDRAULIC**

has been manufactured according to the requirements set below by the 89/336/ECC directive referring to the Electromagnetic Conditions (EMC) and for which it carries the CE mark.\*

\*In compliance with supplement V of order 95/16/EC

-**95/16/EC** (Για τους Ανελκυστήρες)

-**EN 81.2**

-**EMC Directive: 2004/108/EC**

APPLIED STANDARDS	
EN 12015: 1998	CONDUCTED EMISSIONS
EN 12015: 1998	RADIATED EMISSIONS
EN 12016: 1998	IMMUNITY
EN 55014-1: 2001	CLICKS
EN 61000-4-2: 1995	ESD
EN 61000-4-4: 1995	EFT
EN 61000-4-6: 1996	INJECTION CURRENT
EN 61000-4-3: 2002	RF EM FIELD IMMUNITY

-**LVD Directive: 2006/95/EC**

APPLIED STANDARDS	
EN 60439-1 § 8.2.2.4.1, 8.2.2.4.2, 8.2.4.1	CONDUCTED EMISSIONS
EN 81-2:1998+A3:2009 § 13.1.3	Safety rules for the construction and installation of lifts (Hydraulic Lifts)

-**RoHS 2011/65/EU**

Year that CE Mark was applied:  
**Athens, 14 of February 2007**

**George N. Stavgianoudakis**  
President and Managing Director  
Sta.Ge HELLAS S.A.

**Sta.Ge HELLAS S.A.**  
CONTROL SYSTEMS FOR LIFTS  
VAT: EL 998807363 T: (+30) 210 2711300  
F: (+30) 210 2710497 E: info@stage.gr